

Division of Licensing and Protection

HC 2 South, 280 State Drive

Waterbury, VT 05671-2060

<http://www.dail.vermont.gov>

Survey and Certification Voice/TTY (802) 241-0480

Survey and Certification Fax (802) 241-0343

Survey and Certification Reporting Line: (888) 700-5330

To Report Adult Abuse: (800) 564-1612

March 4, 2016

Morgan Bovat, Manager
Brownway Residence
328 School Street
Enosburg Falls, VT 05450-5500

Dear Ms. Bovat:

The Division of Licensing and Protection conducted an onsite complaint investigation on **February 29, 2016**. The purpose of the investigation was to determine if your facility was in compliance with Federal participation requirements of the Medicare/Medicaid Program. The investigation was completed on **February 29, 2016** and there were no regulatory violations related to the complaint allegations.

Sincerely,



Pamela M. Cota, RN
Licensing Chief

Enclosure

Division of Licensing and Protection

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 0118	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED C 02/29/2016
NAME OF PROVIDER OR SUPPLIER BROWNWAY RESIDENCE			STREET ADDRESS, CITY, STATE, ZIP CODE 328 SCHOOL STREET ENOSBURG FALLS, VT 05450		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
R100	Initial Comments: An unannounced onsite investigation of three complaints was completed by the Division of Licensing and Protection on 2/29/16. There were no findings of regulatory violation related to the allegations.	R100			

Division of Licensing and Protection

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE